BE/APh 161: Physical Biology of the Cell, Winter 2019 Homework #8

Due at the start of lecture, 2:30 PM, March 6, 2019.

Problem 8.1 (Tensile strength of the ϕ 29 capsid, 20 pts).

We have discussed the packaging of the ϕ 29 viral capsid. Specifically, we used Fig. 1 to estimate packaging forces. Here, we will estimate a lower bound for the tensile strength of the capsid. Tensile strength, measured in units of force per area, is the maximum stretching stress a material can bear before rupturing. Based on that curve and our discussion in lecture, estimate the minimum that the tensile strength of the ϕ 29 virus must be to contain the genome. How does this compare to the tensile strength of bone? *Hint*: It might be useful to read about the Young-Laplace Law, described in section 11.3.1 of *PBoC2*.




Figure 1: Force/fractional packaging curve for a ϕ 29 virus. Figure taken from Smith, et al., *Nature*, **413**, 748, 2001.

Problem 8.2 (Antenna model for microtubule length control, 50 pts). Do problem 15.7 of *PBoC2*.

Problem 8.3 (Kinesin as an ATP-hydrolyzing enzyme, 30 pts).

Do problem 16.3 of PBoC2. When you do your nonlinear regression, fit the approximate Michaelis-Menten expression to obtain the parameters v_{max} and K_m . The data from the Schnitzer and Block paper are given below.

ATP concentration (μM)	motor speed (nm/s)
0.75	9
1	13
2	19
4	50
10	95
40	260
100	410
400	650
1000	650